MICROPHONE / WIRELESS MICROPHONES / UHF

MSH-892-631

DOUBLE UHF WIRELESS BELT-PACK MICROPHONE



PLL 32 CH
UHF 631-645 MHz

- High intelligibility sound, crisp, distortion-free speech
- 32 UHF channels
- Auto scan function.
- Channel transmission to the microphone via IR.
- 2 clip-on microphones

+ Info:
https://fonestar.com/MSH-892-631

ESPECIALLY RECOMMENDED IN:



All sectors

DESCRIPTION

UHF wireless system. True diversity. 2 channels. 2 belt-pack transmitters with 2 clip-on microphones. 32 selectable frequencies.

TECHNICAL CHARACTERISTICS

FEATURES	True Diversity double receiver with 2 clip-on microphones with unidirectional electret condenser capsule and 2 wireless belt-pack transmitters. Auto scan function. IR channel to microphone transmission. Detachable antennas. With multiple receivers, maximum 4 - 5 microphones at the same time. For more microphones use other frequency bands.
FREQUENCIES	631-645 MHz 32 channels
POWER	10 mW maximum
RESPONSE	40-18,000 Hz
S/N RATIO	> 105 dB
INPUTS	2 antennas, TNC female, 50 Ohm. With 8 V DC output for power supply of antenna amplifiers
OUTPUTS	Audio: 2 balanced, XLR, 0 ~ 600 mV, 600 Ohm 2 unbalanced, 6.3 mm jack, 0 ~ 300 mV, 1KOhm 1 unbalanced line mixed signal, 6.3 mm jack, 0 ~ 300 mV, 1KOhm
MICROPHONES	2 lavalier microphones with unidirectional electret condenser capsule and wireless belt-pack transmitter
DIMENSIONS	Receiver: 420 x 45 x 206 mm depth
WEIGHT	2.4 kg
POWER SUPPLY	Receiver: 12.8 V DC, 450 mA, with adapter included Transmitter microphone: 2 x LR6-AA batteries. Accepts rechargeable batteries
ACCESSORIES	Mounts for assembly in 1 U 19" rack 2 x 6.3 mm mono jack cables Rechargeable batteries




+ Info:
https://fonestar.com/MSH-892-631


OPTIONAL	MSC-2 and MSC-12: wireless microphone recharge docking stations




+ Info:
https://fonestar.com/MSH-892-631


MSHR-46D







MSHT-45P



FONESTAR	Model	Description	Units	Scale
	MSH-892	DOUBLE UHF WIRELESS BELT-PACK MICROPHONE	mm	1:2