MICROPHONE / WIRELESS MICROPHONES / UHF

MSHR-45-570

UHF TRUE DIVERSITY RECEIVER







PLL 32 CH
UHF 570-582 MHz

- High intelligibility sound, crisp, distortion-free speech
- 32 UHF channels
- Auto scan function.
- Channel transmission to the microphone via IR.

+ Info:
https://fonestar.com/MSHR-45-570

ESPECIALLY RECOMMENDED IN:



All sectors

DESCRIPTION


UHF True Diversity receiver. 32 selectable frequencies 570- 582 MHz.


TECHNICAL CHARACTERISTICS


FEATURES	True Diversity UHF receiver. Auto scan function. Infrared channel to microphone transmission. Detachable antennas. For replacement or extension. For models MSH-883 and MSH-887.
FREQUENCY	Band Band 570-582 MHz 32 channels
INPUTS	2 antennas, TNC female, 50 Ohm. With 8 V DC output for power supply of antenna amplifiers
OUTPUTS	Audio: 1 balanced, XLR, 0 ~ 600 mV, 600 Ohm 1 unbalanced, 6.3 mm jack, 0 ~ 300 mV, 1 KOhm
POWER SUPPLY	Receiver: 12.8 V DC, 250 mA, with adapter included
DIMENSIONS	Receiver: 210 x 45 x 163 mm depth
WEIGHT	1.2 kg
ACCESSORIES	Mounts for assembling 2 receivers in 1 U 19" rack 6.3 mm mono jack cable
OPTIONAL	ANG-5L: mount for assembly in 19" rack




+ Info:
https://fonestar.com/MSHR-45-570









FONESTAR	Model MSHR-45	Description UHF RECEIVER	Units mm	Scale 1:2